ONDULINE®

LIGHTWEIGHT
ROOFING
SYSTEMS



Onduline®
Lightweight Roofing Systems

ONDULINE® CLASSIC

The original lightweight roofing system, reliable and easy to install.



For 80 years, **ONDULINE® CLASSIC** roofing system has been permanently improved and adapted to local expectations from home owners, roofers, distributors and specifiers, benefitting from latest knowledge, raw materials and technology developments. Today manufactured with new generation coating on all its versions, **ONDULINE® CLASSIC** is more durable and resistant than even before.

Applications

- Individual & collective housing
- Leisure housing
- Renovation
- Commercial buildings and resorts

- Does not Rust
- Reduces rain noise
- High Wind Resistant
- No Sharp edge
- 46% to 51 % Recycled content

Specifications

LENGTH	2000 mm [-0.4 ; +2 cm]
WIDTH	950 mm [± 2 cm]
GROSS SURFACE	1.90 m2
THICKNESS	3 mm [± 10%]
HEIGHT OF CORRUGATION	38 mm [± 2 cm]
WEIGHT PER m^2	3.4 kg / m^2 [± 10%]
NET SURFACE	1.56 m2

Colours

Red

Brown



Black

Green

ACCESSORIES



RIDGE C100
L 1000 mm
W 470 mm



VALLEY
L 1000 mm
W 500 mm

VERGE PIECE
L 1040 mm
W 405 mm

ONDUCLAIR® PC
L 2000 mm
W 950 mm

SPEEDY SCREW
Diameter 4.2 mm

CORRUGATED FOAM FILLER
L 950 mm
W 30 mm

COMPLEMENTARY ACCESSORIES

ONDUBAND® PRO

ONDULAIR® STRONG

ABOUT ONDULINE®

For about **80 years**, ONDULINE® strategy has successfully combined growth and international development.
The cellulose-bitumen-based roofing and under-roofing material known as ONDULINE® was invented and launched in the French market in 1944 by Gaston Gromier.



Specialized in **innovative roofing systems**, the group has been growing since then, until leading the market of lightweight roofing systems.

We are the undisputable leader in this segment, manufacturing **more than 95%** of world production of bitumen sheets.

ONDULINE® is part of Kingspan's Roofing and Waterproofing division.

Working alongside Kingspan since 2022, we both share common goals: to thrive as an international group and cultivate an entrepreneurial and collaborative culture.

Our shared focus is on **growth, providing excellent customer service**, and **accelerating the transformation** of building solutions towards **more eco-responsible solutions.**

OFIC Building Materials India Pvt Ltd
CIN No.U45309KA2008PTC048153
6th Floor, Urban Vault Citrine, Next to Aster Hospital New Airport Road NH 7, Sahakar Nagar, Bengaluru, Karnataka 560092
Telephone: +91 9108000444
Landline: 080 29910366
Website: in.onduline.com/en
Email: sales@ondulineindia.com

2025/01 Informative material. All product specifications are subject to modification without prior notice. This is not meant for mass distribution

Onduline reserves the right to amend product specifications without prior notice. Product thicknesses shown in this document should not be taken as being available ex-stock and reference should be made to the current Onduline price-list or advice sought from Onduline Customer Service Department. The information, technical details and fixing instructions etc. included in this literature are given in good faith and apply to uses described. Recommendations for use should be verified for suitability and compliance with actual requirements, specifications and any applicable laws and regulations. For other applications or conditions of use, Onduline offers a Technical Advisory Service, the advice of which should be sought for uses of Onduline products that are not specifically described herein.

Onduline®
Lightweight Roofing Systems