ONDULINE®

LIGHTWEIGHT
ROOFING
SYSTEMS



Onduline®
Lightweight Roofing Systems

BARDOLINE®

Asphalt shingles for individual and collective houses, commercial or public-access buildings





BARDOLINE® roofing shingles have stood the test as an ideal roofing material for pitched roofs. These are adaptable to any surface and can be attached to solid roof surfaces.

BARDOLINE® offer rigid roof covering and meet all the requirements of a permanently secure roof. The choice of colours and shapes offer an aesthetically pleasing roofing solution. BARDOLINE® roof shingles confirm to European standard EN 544.

Aesthetic | Lightweight | Walkable on full deck | Impact Resistant

Specifications

PROFILE	Opera	Beaver	Hexagonal
LENGTH	998 mm	1000 mm	1000 mm
WIDTH	337 mm	340 mm	337 mm
THICKNESS	6 mm	3 mm	3 mm
EXPOSED AREA	143 mm	145 mm	143 mm
SHINGLES PER BUNDLE	14	21	21
COVERAGE PER BUNDLE	2.03 sq.mt	3.04 sq.mt	3.00 sq.mt

Note *There could be +/- 15% variation in the measurement data of final product

BARDOLINE® benefits for you

- Different choice of shapes and colours
- Vibrant aesthetic appeal with various colour options
- Shingles are flexible and adapt to any roof shapes
- Can be used on standard roof pitches from 15° to 85°
- Easy installation

Profile and Colours

Pro Hexagonal

Brown 3D

Slate 3D

Red 3D

Pro Beaver

Slate



Green

Red

Terracotta

Brown

Pro Opera

Dark Slate

Dual Red

Dual Brown

Please check with sales team for availability of profiles and colours





ABOUT ONDULINE®

For about **80 years**, ONDULINE® strategy has successfully combined growth and international development.
The cellulose-bitumen-based roofing and under-roofing material known as ONDULINE® was invented and launched in the French market in 1944 by Gaston Gromier.

Specialized in **innovative roofing systems**, the group has been growing since then, until leading the market of lightweight roofing systems.

We are the undisputable leader in this segment, manufacturing **more than 95%** of world production of bitumen sheets.

ONDULINE® is part of Kingspan's Roofing and Waterproofing division.

Working alongside Kingspan since 2022, we both share common goals: to thrive as an international group and cultivate an entrepreneurial and collaborative culture.

Our shared focus is on **growth, providing excellent customer service**, and **accelerating the transformation** of building solutions towards **more eco-responsible solutions.**



OFIC Building Materials India Pvt Ltd
CIN No.U45309KA2008PTC048153
6th Floor, Urban Vault Citrine, Next to Aster Hospital New Airport Road NH 7, Sahakar Nagar, Bengaluru, Karnataka 560092
Telephone: +91 9108000444
Landline: 080 29910366
Website: in.onduline.com/en
Email: sales@ondulineindia.com

2025/01 Informative material. All product specifications are subject to modification without prior notice. This is not meant for mass distribution

Onduline reserves the right to amend product specifications without prior notice. Product thicknesses shown in this document should not be taken as being available ex-stock and reference should be made to the current Onduline price-list or advice sought from Onduline Customer Service Department. The information, technical details and fixing instructions etc. included in this literature are given in good faith and apply to uses described. Recommendations for use should be verified for suitability and compliance with actual requirements, specifications and any applicable laws and regulations. For other applications or conditions of use, Onduline offers a Technical Advisory Service, the advice of which should be sought for uses of Onduline products that are not specifically described herein.

Onduline®
Lightweight Roofing Systems